



IFW

Docket 86623LMB  
Customer No. 01333

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of

Peter T. Aylward, et al

ANTISTATIC CONDUCTIVE GRID  
PATTERN WITH INTEGRAL  
LOGO

Serial No. 10/669,181

Filed September 23, 2003

Group Art Unit: 1774

Examiner: Camie S. Thompson

I hereby certify that this correspondence is being  
deposited today with the United States Postal Service  
as first class mail in an envelope addressed to  
Commissioner For Patents, P.O. Box 1450, Alexandria,  
VA 22313-1450.

*Christine Tolhurst*  
Christine Tolhurst

*February 3, 2006*  
Date

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA. 22313-1450

Sir:

**REQUEST FOR EXTENSION OF TIME**  
**UNDER 37 C.F.R. 1.17 AND 1.136**

CHECK ONE:



Applicants petition for an extension of 2 months from  
the expiration date of the shortened time period set by  
the Office Action dated September 08, 2005.



Applicants petition for a further extension of month from  
the expiration date of the extension requested by Applicants  
in the Request dated .

**Please charge the fee to Eastman Kodak Company Deposit Account No.  
05-0225. A duplicate copy of this request is enclosed.**

02/07/2006 EAREGAY1 00000034 050225 10669181  
01 FC:1252 450.00 DA

Respectfully submitted,

*Lynne M. Blank*  
\_\_\_\_\_  
Attorney for Applicants  
Registration No. 42,334

Lynne M. Blank /ct  
Telephone: 585-477-7418  
Facsimile: 585-477-1148

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the  
Examiner is requested to communicate with Eastman Kodak Company Patent Operations at  
(585) 477-4656.